

इंटरनेट

मानक

### Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 8056 (1976): Specification for Steel Ingots and Billets for the Production of Hard-Drawn Steel Wire for Upholstery Springs [MTD 4: Wrought Steel Products]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE



# *Indian Standard*

## SPECIFICATION FOR STEEL INGOTS AND BILLETS FOR THE PRODUCTION OF HARD-DRAWN STEEL WIRE FOR UPHOLSTERY SPRINGS

UDC 669.14-412 : 621-272 [ 684.731 ]



© Copyright 1976

INDIAN STANDARDS INSTITUTION  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

Price Rs 5.00 **Gr 2**

July 1976

# Indian Standard

## SPECIFICATION FOR STEEL INGOTS AND BILLETS FOR THE PRODUCTION OF HARD-DRAWN STEEL WIRE FOR UPHOLSTERY SPRINGS

Wrought Steel Products Sectional Committee, SMDG 5

### Chairman

DR U. N. BHRANY

### Representing

Modella Steel and Alloys Ltd, Bombay

### Members

SHRI E. ABRAHAM  
SHRI M. ANJANEYULU

Association of Indian Engineering Industry, Calcutta  
Mining & Allied Machinery Corporation Ltd,  
Durgapur

SHRI D. P. SANYAL (*Alternate*)

SHRI H. S. ASWATH

Bokaro Steel Ltd, Bokaro Steel City

SHRI S. G. TUDEKAR (*Alternate*)

SHRI N. C. BAGCHI

National Test House, Calcutta

SHRI A. K. BANERJEE

Metallurgical and Engineering Consultants (India)  
Ltd, Ranchi

SHRI B. N. SINGH (*Alternate*)

SHRI S. BANERJEE

Steel Rolling Mills Association of India, Calcutta  
Guest, Keen, Williams Ltd, Howrah

SHRI S. K. BASU

SHRI A. ROY CHOWDHURY (*Alternate*)

SHRI P. K. CHAKRAVARTY

The Tata Iron & Steel Co Ltd, Jamshedpur

SHRI M. C. KUMARASWAMY (*Alternate*)

SHRI G. CHATTERJEE

Hindustan Steel Ltd, Durgapur

SHRI K. Z. MATHEN (*Alternate*)

SHRI P. K. CHATTERJEE

Ministry of Defence (DGI)

SHRI V. RAMASWAMY (*Alternate*)

DR N. S. DATAR

Hindustan Steel Ltd, Rourkela

SHRI K. S. SINGH (*Alternate*)

MAJ-GEN M. G. DEWAN

Tinplate Company of India Ltd, Golmuri

SHRI S. BALASHANKAR (*Alternate*)

DIRECTOR (M & C), RDSO

Ministry of Railways

CHEMIST & METALLURGIST,

CHITTARANJAN LOCOMOTIVE

WORKS (*Alternate*)

SHRI A. K. GUHA

Inspection Wing, Directorate General of Supplies  
and Disposals, New Delhi

SHRI P. C. MUSTAFI (*Alternate*)

(Continued on page 2)

© Copyright 1976

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
JOINT DIRECTOR STANDARDS (WAGON)	Ministry of Railways
ADDITIONAL DIRECTOR R. S. (IRON & STEEL) ( <i>Alternate</i> )	
DR V. C. KASHYAP	Special Steels Ltd, Bombay
SHRI S. S. MURANJAN ( <i>Alternate</i> )	
SHRI M. N. KHANNA	Hindustan Steel Ltd, Bhilai
SHRI K. C. SOM ( <i>Alternate</i> )	
DR D. M. LAKHIANI	Indian Iron & Steel Co Ltd, Burnpur
SHRI T. K. DATTA ( <i>Alternate</i> )	
SHRI P. LAXMINARAYANA	Hindustan Shipyard Ltd, Visakhapatnam
SHRI R. C. MAHAJAN	Indian Steel & Wire Products Ltd, Indranagar Jamshedpur
SHRI AVTAR SINGH ( <i>Alternate</i> )	
SHRI M. K. PRAMANIK	Iron and Steel Control, Calcutta
SHRI R. A. RAMA RAO	Hindustan Steel Works Construction Ltd, Calcutta
SHRI R. H. G. RAU	Mukand Iron & Steel Works Ltd, Bombay
SHRI S. A. NIGAM ( <i>Alternate</i> )	
SHRI D. V. REDDI	Indian Institute of Metals, Calcutta
SHRI D. SEN	Ministry of Defence (DGOF)
SHRI Y. C. SUBRAMANYA ( <i>Alternate</i> )	
SHRI R. K. SETHI	Industrial Fasteners' Association of India, Calcutta
DR S. J. SHAH	Spinning Machinery (Cotton System) Sectional Committee, TDC 30, ISI
SHRI L. SIKAND	Metals Box Co of India Ltd, Calcutta
SHRI K. R. NARASIMHAN ( <i>Alternate</i> )	
SHRI R. SINGH	National Metallurgical Laboratory (CSIR), Jamshedpur
SHRI D. SRINIVASAN	Joint Plant Committee, Calcutta
SHRI B. P. GHOSH ( <i>Alternate</i> )	
TECHNICAL ADVISER (BOILERS)	Central Boilers Board, Ministry of Industrial Development, New Delhi
SHRI K. S. VAIDYANATHAN	M. N. Dastur & Co (Pvt) Ltd, Calcutta
SHRI G. VENKATESWARLU	Ministry of Defence (R & D)
SHRI E. S. BHAGIRATHA RAO ( <i>Alternate</i> )	
SHRI C. R. RAMA RAO, Director (Struc & Met)	Director General, ISI ( <i>Ex-officio Member</i> )

*Secretary*

SHRI SHANTI SWARUP  
Assistant Director (Metals), ISI

## Special Steel Ingots Panel, SMDC 5 : P41

<i>Convener</i>	
SHRI P. K. MUNSHI	Ministry of Railways
<i>Members</i>	
SHRI S. K. BASU	Guest, Keen, Williams Ltd, Howrah
SHRI D. M. DAVAR	The Premier Automobiles Ltd, Bombay
SHRI A. T. BORATE ( <i>Alternate</i> )	
SHRI M. C. KUMARASWAMY	The Tata Iron & Steel Co Ltd, Jamshedpur
DR D. M. LAKHIANI	Indian Iron & Steel Co Ltd, Burnpur
SHRI B. M. MITRA	Hope (India) Ltd, Calcutta
SHRI R. H. G. RAU	Mukand Iron & Steel Works Ltd, Bombay
SHRI B. P. SHARMA	Krishna Steel Industries Pvt Ltd, Thana
DR P. K. SAGAR ( <i>Alternate</i> )	

# *Indian Standard*

## SPECIFICATION FOR STEEL INGOTS AND BILLETS FOR THE PRODUCTION OF HARD-DRAWN STEEL WIRE FOR UPHOLSTERY SPRINGS

### 0. FOREWORD

**0.1** This Indian Standard was adopted by the Indian Standards Institution on 19 May 1976, after the draft finalized by the Wrought Steel Products Sectional Committee had been approved by the Structural and Metals Division Council.

**0.2** With the rapid industrialization in the country, quite a number of mini steel plants have come up. As there is no standard specification available for ingots or cast billets, it is felt that there may be a possibility of sub-standard material being introduced in the engineering industry and constructional purposes which is not desirable. The Government of India, Ministry of Industrial Development has desired that the mini steel plants should be registered for the manufacture of steel ingots of different categories. In order to assure the quality of ultimate products it has become necessary to issue standards covering their products. This standard is one of a series of Indian Standards on steel ingots and billets. Other standards published so far in the series are given on the fourth cover page.

**0.3** The Committee is keenly interested in getting the feed-back data on suitability of ingots produced to this standard from users of ingots for the production of springs, wire rods, etc. The Committee will very much appreciate if this data is made available for reviewing this standard.

**0.4** For the benefit of the purchaser, an informative appendix (*see Appendix A*) giving particulars to be specified by the purchaser while ordering material to this standard has been included.

**0.5** For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS : 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

---

\*Rules for rounding off numerical values (*revised*).

## 1. SCOPE

**1.1** This standard covers the requirements for ingots ( including cast billet ingots ) and billets ( including continuous cast billets ) for the production of hard-drawn steel wires for upholstery springs.

**1.2** Ingots ( including cast billet ingots ) and billets ( including continuous cast billets ) covered by this standard shall be used for the manufacture of hard-drawn steel wires conforming to the requirements of IS : 2589-1975\*.

## 2. TERMINOLOGY

**2.0** For the purpose of this standard, the following definitions shall apply.

**2.1 Ingot** — Castings of suitable shape and size intended for subsequent hot working.

**2.2 Cast Billet Ingot** — An ingot, generally of cross section not more than 150 mm square which can be rolled directly into merchant products. Cast billet ingot is also sometimes known as ' pencil ingot '.

**2.3 Billet** — A semi-finished product obtained by forging or rolling, usually square and not exceeding 125 × 125 mm in cross section with rounded corners and is intended for further processing into suitable finished product by forging or re-rolling.

**2.4 Continuous Cast Billet** — A semi-finished product obtained by continuous casting, usually square and not exceeding 125 × 125 mm in cross section with rounded corners and is intended for further processing into suitable finished product by forging or re-rolling.

## 3. GRADES

**3.1** Steel for hard-drawn steel wire shall be of one grade, as specified in Table 1.

## 4. SUPPLY OF MATERIAL

**4.1** The general requirements relating to the supply of steel shall conform to IS : 1387-1967†.

## 5. MANUFACTURE

**5.1** Steel shall be manufactured by open hearth, electric, duplex, basic oxygen or a combination of these processes. In case any other process is employed by the manufacturer, prior approval of the purchaser should be obtained.

\*Specification for hard-drawn steel wire for upholstery springs (first revision).

†General requirements for the supply of metallurgical materials (first revision).

## 6. CHEMICAL COMPOSITION

6.1 The ladle analysis of the material when analyzed in accordance with the various parts of IS : 228\*, shall be as given in Table 1.

**TABLE 1 CHEMICAL COMPOSITION**

(Clauses 3.1 and 6.1)

CONSTITUENT	PERCENT
Carbon	0.45 to 0.80
Silicon	0.15 to 0.35
Manganese	0.40 to 1.00
Sulphur, <i>Max</i>	0.050
Phosphorus, <i>Max</i>	0.050

6.1.1 In case of continuous cast billets the billet analysis shall be taken as ladle analysis.

6.2 Permissible variation in case of product analysis (see 7) from the limits specified in 6.1 shall be as follows:

Constituent	Variation Over the Specified Maximum or Under the Minimum Limits
	Percent
Carbon	0.03
Manganese	0.04
Silicon	0.03
Sulphur	0.005
Phosphorus	0.005

NOTE — Variations shall not be applicable both over and under the specified limits in several determinations in a heat.

## 7. SAMPLING

7.1 At least one ladle sample analysis shall be taken per cast.

7.2 If required, the samples for product analysis shall be prepared by forging or rolling down to 30-mm round section.

7.2.1 In case of wire rods the test piece size shall be the size of wire rods.

7.2.2 Drilling shall be taken from the sample (see 7.2) representing two-thirds, half and one-third of height from bottom of the ingot separately.

\*Methods of chemical analysis of steels (second revision).

**7.2.3** In case of continuous cast billets and billets produced from ingots of masses 3 tonnes and more, the sample (*see* 7.2) may be taken from anywhere from the billets.

## 8. FREEDOM FROM DEFECTS

**8.1** The billets and continuous cast billets shall be free from harmful defects, such as pipe, laminations, segregation, inclusions and cracks.

**8.1.1** Subject to agreement between the purchaser and the manufacturer, the billets and continuous cast billets may be supplied with suitable surface dressing.

**8.2** Ingots shall either be supplied free from harmful segregation, piping, cracks, inclusions, and blow-hole by appropriate top and bottom discard and dressing or supplied with suitable surface dressing only, without top and bottom discard if agreed to between the purchaser and the manufacturer, to ensure the requirements of freedom from defects specified in the relevant product specifications.

## 9. TESTS

**9.1** If agreed to between the purchaser and the manufacturer the following tests may be carried out from the samples prepared under 7.2:

- a) Macroexamination and sulphur print,
- b) Hardenability (*see* IS : 3848-1966\*), and
- c) Inclusion content (*see* IS : 4163-1967†).

## 10. DIMENSIONS

**10.1** The size and tolerance of ingots shall be subject to agreement between the purchaser and the manufacturer. However, the following nominal sizes of ingots generally supplied are given below for guidance only:

<i>Width Across Flat, mm</i>		<i>Length mm</i>
Wide End	Narrow End	
100	76	1 500
115	90	1 200
125	105	1 500
150	120	1 300
150	130	1 500

\*Method for end quench test for hardenability of steel.

†Method for determination of inclusion content in steel by microscopic method.

**10.2** The preferred sizes of billets shall be 50, 63, 71, 80, 90, 100 and 125 mm.

**10.3** The sizes other than those specified may be supplied by agreement between the purchaser and the manufacturer.

## 11. TOLERANCES

**11.1** In case of billets the following tolerances shall apply:

<i>Width Across Flat</i>	<i>Tolerance</i>
mm	mm
Up to 75	$\pm 1.5$
Over 75 up to and including 100	$\pm 2.0$
Over 100	$\pm 3.0$

**11.2** A tolerance of  $\pm 150$  mm shall be permitted on the specified length of ingots and billets.

## 12. MARKING

**12.0** Unless agreed otherwise, the material shall be marked as given in **12.1** and **12.2**.

**12.1** The ends of ingots and billets shall be painted with a suitable colour code conforming to IS : 2049-1963\*.

**12.2** Each ingot and billet shall be legibly stamped or painted with the cast number, grade and the name or trade-mark of the manufacturer.

**12.2.1** The material may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution ( Certification Marks ) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

\*Colour code for the identification of wrought steels for general engineering purposes.

**A P P E N D I X    A**  
**( Clause 0.4 )**

**BASIS FOR ORDER**

**A-1.** While placing an order for the ingots/billets covered by this standard, the purchaser should specify clearly the following:

- a) Steel grade;
- b) Size of ingot/billet;
- c) Size and dimensions of end product;
- d) End use;
- e) Tests and test reports required; and
- f) Special requirements, if any.

# INDIAN STANDARDS ON STEEL INGOTS AND BILLETS

IS:

- 8051-1976 Steel ingots and billets for the production of volute, helical and laminated springs for automotive suspension
- 8052-1976 Steel ingots and billets for the production of volute and helical springs (for railway rolling stock)
- 8053-1976 Steel ingots and billets for the production of steel wire for the manufacture of wood screws
- 8054-1976 Steel ingots and billets for the production of laminated springs (railway rolling stock)
- 8056-1976 Steel ingots and billets for the production of spring washers
- 8057-1976 Steel ingots and billets for the production of wire rod for the manufacture of machine screws (by cold heading process)

---

## INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephone : 27 01 31 ( 20 lines )

Telegrams : Manaksanstha

### Regional Offices:

Western : Novelty Chambers, Grant Road  
 Eastern : 5 Chowringhee Approach  
 Southern : C.I.T. Campus, Adyar

BOMBAY 400007  
 CALCUTTA 700072  
 MADRAS 600020

### Telephone

37 97 29  
 23 08 02  
 41 24 42

### Branch Offices:

'Pushpak', Nurmohamed Shalkh Marg, Khanpur  
 'F' Block, Unity Bldg, Narasimharala Square  
 Ahimsa Bldg, SCO 82-83, Sector 17C  
 5-8-56/57 Nampally Station Road  
 117/418 B Sarvodaya Nagar  
 B.C.I. Bldg (3rd Floor), Gandhi Maidan East  
 Hantex Bldg ( 2nd Floor ), Rly Station Road

AHMADABAD 380001  
 BANGALORE 560002  
 CHANDIGARH 160017  
 HYDERABAD 500001  
 KANPUR 208005  
 PATNA 800004  
 TRIVANDRUM 695001

2 03 91  
 2 76 49  
 2 83 20  
 4 57 11  
 82 72  
 5 36 55  
 32 27

AMENDMENT NO. 1      DECEMBER 1977

TO

IS:8056-1976   SPECIFICATION FOR STEEL INGOTS  
AND BILLETS FOR THE PRODUCTION  
OF HARD-DRAWN STEEL WIRE  
FOR UPHOLSTERY SPRINGS

Alteration

*(Page 6, informal table under clause  
10.1, third column) - Delete.*

(SMDC 5)

---

Reprography Unit, ISI, New Delhi